





Threads n Scissors

Enjoy Your Inspiration!!!

Quilt As You Go Jiffy Quiltblocks

Method

First Hoop a layer of stabilizer. Mark the center of the hoop. Load the design marked with an "a" at the end. This is a die line for the fusible web applique paper. Place a piece of fusible web applique paper onto the stabilizer, paper side up. Tape into place if necessary. Leave the needle unthreaded and stitch the design. This will perforate the web applique paper. Leave the stabilizer hooped as it will be used for the main design.



Materials

Fusible Web Applique Paper

Background fabric

Pieces of printed fabric

Lining Fabric

Thin Batting

Cutaway Stabilizer

**Mini Craft Iron
(Mini clover Iron works well)**

Cut the pieces out and using a dry iron, iron them onto the wrong side of the printed fabric. Cut the pieces out of the fabric.



Copyright © 2012 Threads n Scissors
All rights reserved. Unauthorized reproduction, in any manner, is prohibited.
[Http://www.threadsncissors.com](http://www.threadsncissors.com)



Threads n Scissors

Enjoy Your Inspiration!!!

Using the hooped stabilizer, place a piece of thin batting approx. 6" x 6" into the center of the hoop. Place a square of background fabric over the batting. I used a 9" x 9" square for my background fabric. Stitch the first color of the main design - matching design without the "a"



Print the picture of the design included in the design file. Use this as a guide to place the cut pieces. Peel the paper off the cut fabric pieces. Place the fabric pieces onto the hooped design following the printout. Using a craft iron, iron the pieces into place.

My craft iron - you do get smaller ones.



Threads n Scissors

Enjoy Your Inspiration!!!

Peel the paper off the cut piece before placing on the hooped stitched design.



Iron the pieces in place



Place a piece of lining fabric under the hoop and stitch the last color. I used a 9"x9" square for my lining fabric.

When all the squares are stitched out that you require, block your squares leaving 1/4 inch seam right round. Zigzag the squares together to create strips. Place a piece of bias binding over the zigzag stitching and raw edges and the back of the blocks and stitch with a running stitch. Do this with all the pieces. Then join the strips in the same way and finish with bias binding on the back of the quilt. Using broad lace on the top of the quilt, stitch it over the joining seams of the quilt. All that's left is to put a border on. Put a fabric border onto the quilt.

Your quilt is ready to use!!!

