

# Threads n Scissors

## Stampwork Mylar Fairy 5



### Materials

**Fabric with photo print (photo print optional)**

**Print Preview of design**

**Mylar**

**White cotton fabric**


**Water soluble stabilizer**

**Cutaway Stabilizer**

Prepare your backing fabric with a photo print. Please have a look at our Photo Print Instructions for this.

Stitch Design 1 first. These are the wings and skirt

Hoop 2 pieces of water soluble stabilizer. Stitch the first color. This marks where to place a piece of white cotton fabric and mylar. Place fabric and mylar on stitching and stitch next 2 colors.




# Threads n Scissors

Trim excess mylar and fabric from around design and stitch the next color. This completes the skirt.



Stitch the next color. These are the wings. This marks where to place a piece of white cotton fabric and mylar. Place fabric and mylar on stitching and stitch next 2 colors. Trim mylar and fabric. Stitch the last color. This completes the wings. Cut the wings and skirt out of the stabilizer.



Now to stitch the fairy!!!

Put your design printout onto your prepared photo print fabric. Tape the design printout into place. Hoop 1 piece of cutaway and the printout. Load Design 2 onto your machine and center the design with hooped fabric.



Copyright © 2009 Threads n Scissors  
All rights reserved. Unauthorized reproduction, in any manner, is prohibited.  
[Http://www.threadsncissors.com](http://www.threadsncissors.com)

# Threads n Scissors

Stitch the first 9 colors. The ninth colour is a marking line. Lightly gather the top of the skirt piece and place that on the line just above where the skirt is. Place the wings on the line above the skirt. Tape the pieces in place. Cut a piece of water soluble and place over the design. I use my off cuts of water soluble for this. Stitch the next color. This holds the wings and skirt in place. Stitch the next 4 colors. The fourth marks the bonnet of the fairy. Place a piece of mylar on the bonnet and stitch the next color.



Trim mylar and stitch the rest of the design. Please watch your machine while stitching. I cut the water soluble stabilizer away from the design when I had finished stitching and used a damp ear swab to remove the little bits I couldn't cut.

