

Baby Quilt Blocks

Tip When hooping water soluble stabilizer, place them so that two of the layers are at right angles to each other and the other layers are diagonal. This helps prevent the stabilizer from stretching.


***Note.** Colour stops have been put in. Use the same colour where needed.

For the front Motif Piece (Pieces TS034 Design 1—8)



1. Hoop 2 layers of water soluble stabilizer. Stitch the first colour. Place a piece of thin batting and a piece of fleece on top of the stitched area and stitch the next colour.



2. Place a piece of coloured satin fabric over the stitched area. Use temporary adhesive spray to hold the satin fabric into place. Stitch the next colour. Remove the hoop from the machine and trim away excess satin fabric.



3. Place a piece of white satin fabric over the centre motif and again use temporary adhesive to hold the fabric into place. Stitch the next colour. Remove hoop from machine and trim away excess white satin.



Materials

Water soluble Stabilizer

Satin - different colours

Fleece

Temporary Adhesive Spray

Embroidery Thread - I used a variegated thread

Thin Batting

Thick Batting and extra fleece to complete the quilt

Helpful Tip

If you have a larger hoop for your machine, put as many designs that can be fitted into the hoop. This saves on stabilizer

4. Now stitch out the last two colours using colours of your choice - I used variegated thread throughout the design



Alternate Blocks

***Note. Colour stops have been put in. Use the same colour where needed.**

For the front Motif Piece (Pieces TS034 Alt Panel)

1. Hoop 2 layers of water soluble stabilizer. Stitch the first colour. Place a piece of thin batting and a piece of fleece on top of the stitched area and stitch the next colour.



2. Place a piece of coloured satin fabric over the stitched area. Use temporary adhesive spray to hold the satin fabric into place. Stitch the next colour. Remove the hoop from the machine and trim away excess satin fabric.



3. Stitch the next colour. Remove the hoop from the machine and trim away excess satin fabric. Stitch the last colour.



Assembling the Quilt

1. Pin the quilt blocks together, right sides facing. Cut the thin batting away along the sewing seam. Sew the quilt blocks together. You should now have a 3 x 5 block rectangle.



2. Cut a piece of fleece the slightly larger than the quilt block rectangle. Cut a piece of thick batting the same size of the fleece. Put the batting between the fleece and the quilt block rectangle wrong sides together and tack in place. Now cut side flaps the length of the top and bottom of the quilt and double the width as required from fleece -remember to add on seam allowances. Fold the fleece strip in half and fold in the seam allowances. Place the lined quilt rectangle between the folded fleece strip, pin in place and stitch. Now cut the side flaps the same way only using the sides for measuring and remember to add on a bit extra for the length as we will be folding it in to make a neat edge. Sew the side flaps the same way as you did the top and bottom flaps only folding in the edges before sewing the flap to the quilt block rectangle. Sew the open corner pieces closed by hand. This gives a very neat corner.



